









HoardFast

Freestanding







HoardFast in an innovative system incorporating prefinished panels and tracking for quickly creating temporary or permanent walling in freestanding or floor to ceiling applications.

Key Benefits:

- Quick to install system with durable PVC panels
- Easy to set up & reusable
- Very stable design with support post and base weight
- Compact space saving design allowing for maximum useable floor area in the work zone without the intrusion of bracing
- Complete with single and double door units and window options
- Corner section and panel joiners and tracking connected without fixings
- Panels can be installed horizontally to create a 1.2m high free-standing barrier
- Easy to clean panels makes the system comply with the highest hygienic requirements
- High gloss finish repels graffiti
- Can be used in both internal and external applications*

*Speak with your Protecta representative for more information regarding external use.









HOARDFAST FREE STANDING SYSTEM

Engineered, Tested & Certified to Australian Standard AS4687-2022

- Impact Tested
- ✓ Climbing Overturning Tested
- ✓ Nail Penetration Tested

HoardFast

Main Uses & Applications:

- Separate active work areas from public or occupied areas
- Acoustic enclosures, cutting rooms, temporary enclosures, and site amenities
- Dividing work zones from trading areas in supermarkets and shopping centres in many project situations
- Segregation screens in a broad scope of applications including functions and events
- Use in conjunction with the ZipWall® system for an effective floor to ceiling dust seal with the security and privacy benefit of a solid hoarding up to eye level (see image bottom right)
- Create temporary access tunnels
- Site Segregation hoardings for short and long term projects
- Temporary or permanent offices

Hoardings must be installed in accordance with Protecta installation instructions







We offer a complimentary hoarding take-off, design and quoting service.

Contact us on 1300 88 12 32 or sales@protecta.com.au to discuss your requirements or submit project information.

HoardFast - System Components


HoardFast Panels



| Code | Description |
|------------|---------------------------------------|
| HPP120-225 | 2.25m X 1.2m X 35mm - Gloss white PVC |
| HPP120-240 | 2.4m X 1.2m X 35mm - Gloss white PVC |
| HPP120-270 | 2.7m X 1.2m X 35mm - Gloss white PVC |
| HPP120-300 | 3.0m X 1.2m X 35mm - Gloss white PVC |
| HPP120-360 | 3.6m X 1.2m X 35mm - Gloss white PVC |
| · | |

Joiners, Tracks and Corner Angles







For best use of the freestanding system, one each of the top and bottom corner connectors must be used with each HoardFast PVC corner.

| HCCT | HoardFast Cnr Connector- Top |
|------|---------------------------------|
| НССВ | HoardFast Cnr Connector- Bottom |

HoardFast - System Components

HoardFast Freestanding PVC Hoarding System



| Code | Description |
|------------|--|
| HBP115 | Base Plate / Support Post |
| HBW17 | Base Weight |
| HFBOLT-350 | 350mm Hold Down Bolt for base weights (stacked 2 high) |
| HFBOLT-512 | 512mm Hold Down Bolt for base weights (stacked 3 high) |

Door Kits



| Code | Description |
|-----------------------|---|
| EWDK-820-S-LSL or PDL | 820mm Single Door Kit- Lever lock or Digital lock |
| EWDK-870-S-LSL or PDL | 870mm Single Door Kit- Lever lock or Digital lock |
| EWDK-920-S-LSL or PDL | 920mm Single Door Kit- Lever lock or Digital lock |
| EWDK-820-D-LSL or PDL | 820mm Double Door Kit- Lever lock or Digital lock |
| EWDK-870-D-LSL or PDL | 870mm Double Door Kit- Lever lock or Digital lock |
| EWDK-920-D-LSL or PDL | 920mm Double Door Kit- Lever lock or Digital lock |



Click to view installation of Freestanding HoardFast system